# UNCLASSIFIED

# AD 296 440

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

# PHONON-PHONON INTERACTION IN CRYSTALS

SIXTH QUARTERLY PROGRESS REPORT

1 September 1962 - 30 November 1962


Signal Corps Contract No. DA-36-039-sc-87209 Order No. 39589-PM-61-91-91 PR and C No. 61-ELP/R-4122

> Placed by U.S. Army Signal Research And Development Laboratory Fort Monmouth, New Jersey

296 440

GENERAL ELECTRIC

HEAVY MILITARY ELECTRONICS DEPARTMENT
SYRACUSE • NEW YORK



. कुठे

## ASTIA AVAILABILITY NOTICE

Qualified requestors may obtain copies of this report from ASTIA. ASTIA PLANT 10 OTS not sutherized. FOR 075 pm 19 Jet 6 3 th.

#### PHONON-PHONON INTERACTION IN CRYSTALS

Report No. 6
Contract No. DA 26 039-sc 87209
Order No. 39589 PM-61-91-91
PR & C No. 61-ELP/R-4122

Sixth Progress Report

1 September 1962 - 30 November 1962

The objective of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals.

U. S. Army Signal Research and

Development Laboratory

Fort Monmouth, New Jersey

ELECTRONICS LABORATORY
GENERAL ELECTRIC COMPANY
SYRACUSE, NEW YORK

#### TABLE OF CONTENTS

					Page
1.	PURPC	SE			1
	1.1	Task I	Analytic	al Study	1
	1.2			ental Study on Phonon Propagation	1
	1.3	Task II	I Experi	mental Study of Phonon Interactions	1
	1.4	Task IV	Materia	l Evaluation	1
2.	ABSTR	ACT	0 <b>0</b> 0 0 <b>0</b> 0 0 <b>0</b>	0	2
3.	PUBLI	CATIONS,	LECTURE	s, reports, and conferences	3
4.	FACTU	AL DATA		0 u 0 u u c u y o 1 <b>0 u u u a a a a a a a a a a a a a a a a </b>	4
	4.1	Phase I	Theoret	ical Aspects	4
		4.1.1	Non line	ar Analysis	5
		4.1.2	Velocitio	es in Crystals	7
	4.2	Phase I	I Experi	mental Studies	-10
		4.2.1	General (	Consideration	10
			-	Cryogenic and Microwave	11
			42.2,1	Microwave Structure used for Piezoelectric Excitation of Phonons	11
		i	4.2.2.2	Microwave Structure used for Magnetostrictive Excitation of Phonons	11
		4.2.3	Material	<b>5</b>	11
		4.2.4	Experime	ntal Results	13
		1	4.2.4.1	Generation of Phonons	13
		j	4.2.4.2	Phonon Propagation in Quartz	13

		Page
	4.2.4.3	Phonon Propagation in CdS 16
	4.2.4.4	Phonon Propagation in Non- piezoelectric Media
5.	PHONON-PHONON INTERACT	FION 21
6.	conclusions	24
7.	PROGRAM FOR NEXT INTE	RVAL 25

#### LIST OF ILLUSTRATIONS

Figur	<u>*e</u>	Page
1.	Diagram of Acoustic Waves in a Crystal, Showing Some Allowed Interactions	$\epsilon$
2.	Portable Electromagnet with Dewar Assembly Used for Experimenting at Liquid Nitrogen and Room Temperatures	12
3.	Transverse Echoes in BC Quartz	14
4.	Echo Pattern in AC Quartz	15
5.	Echo Display in C-axis CdS. 3.3 kMc/s Piezoelectric Excitation	17
6.	Echo Display in C-axis Cds. 9.4 kMc/s Piezoelectric Excitation	18
7.	Transverse Mode in C-axis Cds. 1.15 kMc/s Magnetostrictive Excitation	19
8.	Transverse Mode in <100> Germanium. 1.15 kMc/s Magnetostrictive Excitation	20

#### 1. PURPOSE

The work performed under this contract is aimed at studying the generation, propagation and interaction of phonons in solids by means of microwaves. The main interest is centered on phonon-phonon interaction in crystals.

#### 1.1 Task I Analytical Study

Investigate the generation and propagation of phonons in solids. Study the phonon interactions in one and three dimensional media.

- 1.2 Task II Experimental Study of Phonon Generation and Propagation
  Investigate experimental techniques of generating phonons.

  Develop methods for enhancement of the transducer coupling. Evaluate the properties of phonon propagation in crystals.
- 1.3 Task III Experimental Study of Phonon Interactions

  Study and evaluate the various types of phonon interactions
  in solids experimentally.

#### 1.4 Task IV Material Evaluation

Measurement of the elastic properties of various materials and search for materials sutiable for phonon propagation and interactions.

#### 2. ABSTRACT

The objective of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals.

Theoretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.

Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystals.

Experimental studies involving the search for phonon interactions are discussed.

#### 3. PUBLICATIONS, LECTURES, REPORTS, AND CONFERENCES

- 1. A conference was held at the Electronics Laboratory between W. G. Matthei, S. Wanuga and W. Brouillette on November 20, 1962 to discuss the status of the project.
- 2. A paper titled, "Field Enhancement Techniques for the Generation of Microwave Phonons" was presented at the 1962 Ultrasonic Symposium on November 30, 1962 at Columbia University. (H. Hsu, W. Brouillette and S. Wanuga.) The paper has been submitted for publication in the fortheming issue of PGUE of IRE Proceedings.

#### 4. FACTUAL DATA

#### 4.1 Phase I Theoretical Aspects

During the past period we have cataloged all the possible interactions that can take place among colinear phonons. These fall broadly into two categories. The first comprises all the interactions that involve direct amplification of the signal wave with gain, with an idler corresponding to a lower sideband. The second comprises all the interactions where the idler corresponds to the upper sideband, thus the interaction falls in the category of up-conversion with gain. The interactions can also, of course, be characterized as to whether they involve forward wave interaction or backward wave interaction.

In discussing these interactions, it is necessary to point out that, for any frequencies presently obtainable, the relation between frequency and wave vector is essentially linear. The selection rules usually discussed in texts in relation to the absorption of sound by thermal phonons are arrived at by considering the entire dispersion curve. The low energy phonons considered in the present waves are not subject to the restriction that an interaction cannot take place where all phonons lie on the same polarization curve. This also presents the disadvantage that for such an interaction, energy may go to the upper sideband rather than the lower.

We also point out that the selection rules we then arrive at are necessary, but not sufficient conditions for interaction to take place.

These rules are arrived at by observing that in an interaction, both phonon

energy and momentum are conserved, if we exclude Umklapp processes.

In the latter interactions, the phonons must have sufficient energy to carry them to the band edge, which will not occur for the frequencies under discussion. The conservation rules are not the only conditions that must be met. There must also exist appropriate interactions probabilities, arising from the anharmonic Hamiltonian terms.

The selection rules are easily depicted in terms of a transition diagram such as Figure (1). This diagram shows nine possible backward wave interactions where signal and pump energy propagate in opposite direction, the idler is the lower sideband, and the signal is amplified as it propogates through the medium. The polarization branches are marked "L" for the longitudinal wave, and " $T_s$ " and " $T_r$ " for the transverse slow and fast waves respectively. The smaller diagram above indicates the relative position of signal, pump and idler wave for all cases. The transition marked "I" corresponds to a signal phonon which is a slow transverse wave, a pump which is a transverse wave, and idler which is also slow transverse. The segment from "O" to "A" is the signal, that from "O" to "B" the pump, and that from "A" to "B" the idler. Each of the nine cases can be derived from the diagram. Similar diagrams have been prepared for the backward wave case with up conversion, and for the forward wave mixed mode cases for both up and down conversion. The up and down conversion on a single branch is obvious without a diagram.

#### 4.1.1 Non-linear Analysis

In addition to the above considerations, we have examined




FIGURE 1

 $\omega\text{-}\beta$  Diagram of Acoustic Lattice Waves in a Crystal, Showing Some Allowed Interactions.

various methods of analysing the non-linear interaction. In these analyses, it is commonly assumed that only those modes of interest can be propagated. For direct amplification, one thus assumes that the only modes propagated are signal, pump, and an idler corresponding to the lower sideband. This type of condition can often be met in an electromagnetic structure by using waveguides or helices with cut-off frequencies. In the solid crystalline medium, modes of all frequencies can be propagated. This restricts the validity of previous analysis and efforts will be continued for a method of determing what effect this may have on traveling wave interactions.

#### 4.1.2 Velocities in Crystals

Numerous types of crystals are being continually studied both from the standpoint of possible use for phonon interaction studies and characteristics of phonon propagation. Two crystals have been investigated during this period. They are hexagonal CdS and ZnO. There are five independent elastic moduli for hexagonal symmetry. Both have higher electromechanical coupling coefficients (k) greater than quartz.

A. R. Hutson<sup>(1)</sup> reports the coupling coefficients as 0.095 for quartz, 0.2 for CdS and 0.4 for ZnO. CdS and ZnO may be useful for phonon interaction studies, since the power flow in a crystal is proportional to k<sup>2</sup>. Velocity equations for this type of crystal are given in section 4.1.3 of the Second Quarterly Progress Report of this contract.

<sup>(1)</sup> A. R. Hutson, Phys. Rev. Letters, 4, May 14, 1960, pp. 505 - 507.

Elastic Constants of Hexagonal CdS at 27° C. taken from K. E. Bolef (2) et al.

$$c_{11} = 84.32 \times 10^{10} \text{ dynes/cm}^2$$

$$c_{12} = 52.12 \times 10^{10} \text{ dynes/cm}^2$$

$$c_{13} = 46.38 \times 10^{10} \text{ dynes/cm}^2$$

$$c_{33} = 93.97 \times 10^{10} \text{ dynes/cm}^2$$

$$c_{44} = 14.89 \times 10^{10} \text{ dynes/cm}^2$$

$$c_{66} = (\frac{c_{11} - c_{12}}{2})$$

The value of density (?) used was 4.823 g/cm<sup>3</sup>.

Mode

Table I gives calculated velocities for the C direction.

TABLE I
C-axis CdS <001>

<del>Mode</del>		Carcaraced velocity
. <b>v</b> <sub>1</sub>	=	$4.38 \times 10^5 \text{ cm/sec.}$
V <sub>lt</sub> = V <sub>2t</sub>	=	$1.73 \times 10^5 \text{ cm/sec.}$
<100> Direction or as	ny other direction	perpendicular to <001> axis.
$\mathbf{v_1}$	=	$4.18 \times 10^5$ cm/sec.
v <sub>lt</sub>	=	1.76 x 10 <sup>5</sup> cm/sec
v <sub>2t</sub>	=	$1.83 \times 10^5 \text{ cm/sec.}$

Calculated Velocity

<sup>(2)</sup> D. I. Bolef, N. T. Melamed and M. Menes, Bul. Am. Phys. Soc. 5, 169, (1960).

Values for the calculated velocities for ZnO are given in table II.

The elastic constants were taken from T.B. Bateman (3), at 25° C.

#### Elastic Constants of ZnO

The density used was 5.676 g/cm<sup>3</sup>

#### TABLE II

#### C-axis ZnO <001>

$$V_1$$
 = 6.09 x 10<sup>5</sup> cm/sec.  
 $V_{1s} = V_{2s}$  = 2.73 x 10<sup>5</sup> cm/sec.

<100> direction as any other direction perpendicular to <001> axis.

$$V_{1s}$$
 = 6.07 x 10<sup>5</sup> cm/sec.  
 $V_{1s}$  = 2.73 x 10<sup>5</sup> cm/sec.  
 $V_{2s}$  = 2.79 x 10<sup>5</sup> cm/sec.

<sup>(3)</sup> T. B. Bateman, J.A.P., 33, 3309, (1962).

#### 4.2 Phase II Experimental Studies

#### 4.2.1 General Considerations

Preliminary experiments have been carried out and theoretical studies have been made for determining the types of phonon interactions that are possible. The conditions necessary for interaction have been determined from the selection rules and are continuously being investigated for experimental verification.

Phonon-phonon interaction studies are based on the anharmonicity in the inter-atomics potential of the crystal. It is this phenomenon which contributes a large share of sonic attenuation in a solid. It is, therefore, necessary to continually study the generation and propagation of ultrasonic waves in various media in order to determine which crystals may be better suited for phonon interaction studies. For each crystal orientation and mode of operation the attenuation and propagation characteristics will differ. For these reasons new crystals and crystal orientations are always being studied and data being obtained for use in the present phonon interaction studies now being carried out. Data obtained from some of these studies are presented in following sections.

As shown in previous reports, acoustic-phonon interactions can take place either for forward wave or backward wave type of operation. Experiments presently attempted were directed toward the forward type of interaction involving phonons of the same polarization, i.e., all longitudinal or all transverse.

#### 4.2.2 Complete Cryogenic and Microwave Assembly

The main experimental assemblies for phonon generation and detection remain the same. A small Dewar for use at liquid nitrogen temperature was made for experimental studying at these temperatures. Figure (2) shows the unit placed in our portable electromagnet. This electromagnet is used mainly for experimental study with magnetostrictive transducers at both liquid nitrogen and room temperatures. The complete assembly offers a better technique of experimental study since there is more ease in handling the microwave structures and the unsilvered Dewar offers direct observation of the set up.

# 4.2.2.1 Microwave Structures used for Piezoelectric Excitation of Phonons.

Modifications have been made in the microwave cavities by replacing the resonant posts with the chisel shaped posts described in our Fifth Quarterly Progress Report. These have been made mainly where transverse mode generation in X-cut quartz rods was desirable.

# 4.2.2.2 <u>Microwave Structures used for Magnetostrictive</u> Excitation of Phonons

A wideband structure consisting of a shorted stainless steel coaxial line was built for use with the new Dewar described in section 4.2.3. The structure operated satisfactorily over a frequency tuning range of 1 to 1.8 kMc/s.

#### 4.2.3 Materials

Quartz, cadmium sulfide, germanium, silicon and cadmium telluride were the materials used during this period.




FIGURE 2

PORTABLE ELECTROMAGNET WITH DEWAR ASSEMBLY USED FOR EXPERIMENTING
AT LIQUID NITROGEN AND ROOM TEMPERATURES

#### 4.2.4 Experimental Results

#### 4.2.4.1 Generation of Phonons

Magnetostrictive excitation was used mainly in the experimental testing during this period. A few successful tests were made using the self piezoelectric excitation of cadmium sulfide at S- and X-band frequency.

#### 4.2.4.2 Phonon Propagation in Quartz

Several different orientations of quartz crystal were investigated. Rods 3 mm. in diameter and 2 cm. long of AC and BC oriented quartz were plated with magnetostrictive films on one edge. These two cuts are of interest in the phonon interaction study since they are the only two orientations of rotated Y-cuts where transverse waves have no cross coupling to other modes. The acoustic energy travels parallel to the normal of the wave fronts.

The BC-cut crystal is made by a rotation about the X-axis making an angle of  $-59^\circ$  with respect to the Z-axis. Figure (3) shows the echo pattern observed for the BC-cut crystal at 1.15 kMc/s and room temperature. The velocity was  $5.03 \times 10^5$  cm/sec. A measurement of attenuation for these conditions gave a figure of about 1.4 ab/cm.

Figure (4) shows the echo pattern observed for an AC-cut rod. This cut is made by a rotation about the X-axis of  $31^{\circ}$  with respect to the Z-axis. The echo pattern is not clear since there appears to be other modes being generated. The transverse velocities for this particular cut are very close, being 3.84 and  $3.32 \times 10^{5}$  cm/sec. The crystal will




FIGURE 3

TRANSVERSE WAVE ECHO PATTERN IN BC QUARTZ

MAGNETOSTRICTIVE EXCITATION

1.15 kMc/s - ROOM TEMPERATURE




FIGURE 4

ECHO PATTERN IN AC QUARTZ

MAGNETOSTRICTIVE EXCITATION

1.15 kMc/s - ROOM TEMPERATURE

be tested at liquid helium temperature in order to distinguish the proper modes. The attenuation appears to be significantly larger for this cut of crystal compared to the BC-cut rod.

#### 4.2.4.3 Phonon Propagation in CdS

and is piezoelectric. Small bars of C-axis oriented crystal were processed on our polishing equipment and tested at various frequencies. Figure (5) shows the echo pattern observed at 3.3 kMc/s and at liquid helium temperature. The rod was approximately 5 mm. square and 1.4 cm. long with a resistivity of approximately 10<sup>5</sup> ohm-cm. The crystal itself was used as the transducer. The echo pattern is completely undistinguishable as to mode designation. Figure (6) shows the same red tested at X-band frequency under the same conditions.

A piece the same block of CdS was cut to approximately .7 cm. length and the ends were polished flat and parallel. The ends were then plated with magnetostrictive films. The crystal was then tested at liquid helium temperature and 1.15 kMc/s. Figure (7) shows the transverse mode observed. Velocity is 1.7 x 10<sup>5</sup> cm/sec. A measurement of attenuation under these conditions gave a figure of approximately 5.9 db/cm.

#### 4.2.4.4 Phonon Propagation in Non-piezoelectric Media

Magnetostrictive transducers were used for phonon generation in non-piezoelectric materials. Figure (8) shows the transverse mode observed in a  $\langle 100 \rangle$  oriented germanium crystal 3 mm. diameter by 2 cm. length. The test was made at 1.15 kMc/s and liquid helium temperature. Velocity measured was  $3.56 \times 10^5$  cm/sec.




FIGURE 5

ECHC DISPLAY IN C-AXIS COS

PIEZOELECTRIC EXCITATION

3.3 kMc/s - LIQUID HELIUM TEMPERATURE




FIGURE 6

ECHC DISPLAY IN C-AXIS CdS

PIEZOELECTRIC EXCITATION

9.4 kMc/s - LIQUID HELIUM TEMPERATURE




FIGURE 7

C-AXIS CdS

MAGNETOSTRICTIVE EXCITATION

TRANSVERSE MODE. VEL. = 1.7 x 10 cm/sec.

1.15 kMc/s - LIQUID HELIUM TEMPERATURE




FIGURE 8

#### <lo> GERMANIUM

MAGNETOSTRICTIVE EXCITATION

TRANSVERSE MODE. VEL. = 3.56 x 10<sup>5</sup> cm/sec.

1.15 kMc/s LIQUID HELIUM TEMPERATURE

Additional samples of CdTe were also plated with magnetostrictive films and tested for phonon propagation. In each case the material appeared very soft and thin sheets peeled off in the 110 plane.

#### 5. PHONON-PHONON INTERACTION

During this period, a series of experiments were performed, seeking evidence of phonon-phonon interaction in one of various forms. These include direct interaction, yielding gain at the signal frequency, upper sideband conversion, with consequent increased attenuation in the signal mode and appearance of a sum frequency, and production of a third harmonic signal.

The first test involved an X-cut quartz rod. A thin film transducer of nickel-cobalt was applied. At room temperature, echoes were observed at 1.15 gcps. The observed attenuation was about 1 db/cm for the fast transverse mode.

A further test was made in the X-cut rod, generating a signal at 3.3 gcps and looking for the third harmonic at 9.9 gcps. The rod was cooled to liquid helium temperature, pulses were generated at 3.3 gcps with a thin film, using an X-band cavity to detect a possible 9.9 gcps, but no third harmonic was observed.

Another run was made on an X-cut quartz rod, driving it at 1 gcps magnetostrictively and attempting to detect the third harmonic with negative results.

Three tests were performed on a silicon rod cut along the <111> axis.

In these experiments one end of the rod was filmed so that it would operate at one gcps, and the other filmed for three gcps. Both experiments seeking third harmonic generation of the 1 gcps signal and interaction between a 1 gcps and a 3 gcps signal were performed. The sample was cooled in liquid helium. No third harmonic could be detected when the crystal was driven at 1 gcps.

In the second tests of these series, one gcps echoes were obtained by driving the appropriate cavity, and a 3 gcps pump signal was applied to the other cavity. The time lapse between the pulses could be controlled so that the pump signal was applied just as the signal pulse was being reflected from the end of the sample being driven at the pump frequency. When this adjustment was made, a very slight decrease in the amplitude of the signal echoes was observed. This could be due to a direct feed-through from pump transmitter to signal receiver.

A similar test was performed on a  $\langle 100 \rangle$  germanium crystal, using a magneotostrictive film transducer. The crystal was cooled in liquid helium, and the filmed end placed in a cavity that could be excited both at 1.1 gcps and 3.3 gcps, by using a 1/4 and 3/4 wave length mode respectively. Both longitudinal echoes, with a velocity of 5 x  $10^5$  cm/sec and transverse echoes with a velocity of 3.56 x  $10^5$  cm/sec. could be observed at both frequencies.

The sample was excited simultaneously with 1.1 and 3.3 gcps energy.

The 1.1 gcps echoes were observed to show a slight gain in amplitude

when the 3.3 gcps signal was applied. However, this was definitely proved to be RF feed-through from the S-band transmitter to the L-band receiver.

If interaction occurs with up-conversion, then the signal echoes should show an increased attenuation with the addition of a pump signal, and energy should appear at the sum frequency.

One experiment was performed during this period to test this. A silicon <111> rod was used with thin films at liquid helium. A single cavity operating at 1 gcps and 3 gcps was used to excite one end with pump and signal energy. A cavity tuned to the sum was placed on the other end. We were not able to observe interaction in this one experiment, and some difficulty was encountered with feed-through. We are presently improving this experiment so that more trials may be made using other samples and other transducers and cavities.

#### 6. conclusions

All possible interactions that can take place among colinear phonons have been studied and used for determining the most promising experiments. Tests were performed in order to verify experimentally phonon-phonon interactions in crystals. Although no positive evidence has been observed, difficulties encountered in each test are removed so that the experimental procedures are being optimized.

Numerous orientations of quartz crystals have been studied. Some of these cuts appear to be promising for use in the phonon-phonon interaction studies. CdS was also investigated for phonon propagation at kMc/s frequencies. Although the attenuation is greater than quartz, other advantages such as higher coupling coefficient may be useful.

#### 7. PROGRAM FOR NEXT INTERVAL

The study of phonon-phonon interactions will continue. Emphasis will be placed on the forward wave type of interaction searching for frequency conversion. The microwave structures will be modified for improving experimental techniques, mainly for solving r.f. feed-through problems. Generation and propagation of acoustic waves in various materials and crystal orientations will be carried out. These will include testing at various temperatures and frequencies.

## 8. IDENTIFICATION OF PERSONNEL

Dr. Hsuing Hsu - 24

Dr. J. Walter Brouillette - 148

Stephen Wanuga - 360

UNCLASSIFIED  1. Generation and Propagation of Propagation of Propagation of Interaction  2. Fibronal-Phonon Interaction  3. Parametric Interaction  1. Haw, Haiung  11. Haw, Haiung  11. Wanuga, Stephen  111. Contract Ind-36-  039-sc-37209	UNCLASSIFIED	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-Phonon 3. Parametric Interaction 3. Parametric Interaction II. Hsu, Heiung II. Wanuga, Stephen III. Contract DA-36- 039-sc-87209	UNCLASSIFIED
General Electric Co., Electronics Laboratory, Syracuse, N.Y. PRONON-PHONON INTERACTION IN CRUSTALS by Hsiung Hsu and Stephen Wanga. First Quarterly Progress Report 1 May 1961-31 July 1961. 61 p. incl. line drawings and photographs. (Contract Da-56-099-es-687809) The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of ancrowaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanism of various types of traveling wave parametric interactions are analyzed. The selection rules of coupled phonon modes are analyzed. The selection rules of coupled phonon modes and warious experimental approaches are described. Detailed discussions on the low temperature microwave structures and experimental results on the generation and propagation of microwave phonons are presented.		General Electric Co., Electronics Laboratory, Syracuse, N.Y. PRONOWI PERMACTION IN CHTSTALLS by Bailing Hau and Stephen Managa. First Quarterly Progress Report 1 Nay 1961-51 July 1961. 61 p. incl. line drawings and photographs. (Contract DA-54-059-se-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interaction as parametric interactions due to crystal anharmonicity.  In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanisms of various types of traveling wave parametric interactions are smallyced. The selection rules of coupled phonon modes and warlous experimental approaches are described. Detailed discussions on the low temperature microwave structures and experimental results on the generation and propegation of microwave phonons are presented.	
UNCLASSIFIED  1. Generation and propagation of hypersonic phonons  2. Phonon-bonon interaction  3. Parametric interaction  II. Hau, Haiung  II. Wanuga, Stephen  III. Contract IA-36-  039-sc-87209	UNCLASSIFIED	UNCIASSIFIED  1. Generation and propagation of hypersonic phonons interaction interaction interaction interaction 1. Man, Malung 1. Man, Malung 11. Wan, Malung 11. Wan, Malung 11. Wange, Stephen 111. Contract IA-36- 099-ac-87209	UNCLASSIFIED
General Electric Co., Electronics laboratory, Syracuse, H.Y. PRONON-PRONON INTERACTION IN CHISTALS by Haiung Hau and Stephen Namuga. First quarterly Progress Report 1 May 1963-23 July 1963-6. D. P. incl. line drawings and photographs. (Contract IM-56-099-es-67209)  Inclusified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal ambarmonicity.  In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanism of various types of traveling wave parametric interactions and various experimental supproaches are described. Detailed discussions on the low temperature microwave structures and experimental results on the generation and propagation of microwave phonons are presented.		AD  General Electric Co., Electromics laboratory, Syracuse, N.Y. PHONON-PHONON INTERACTION IN CHTSTALS BY Haining Esu and Stephen Namuga. First Quarterly Progress Report I May 1961-31 July 1961. 619 incl. line drawings and photographs. (Contract DA-36-099-sc-87509) The objective of this project is to study the generation, propagation, and interaction of phonons in solids by mens of increases with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal and manazonicity. In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanisms of various types of traveling wave parametric interactions are analyzed. The selection rules of compled phonon modes and various experimental approaches are described. Detailed discussions on the low temperature adcrowave structures and experimental results on the generation and propagation of microwave phonons are presented.	

UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction 1. Haw, Heiung II. Wanuga, Stephen III. Contract DA-36- 039-sc-87209	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction Object Major UNCLASSIFIED
General Electric Co., Syracuse, N.Y. PRONON-PRONON INTERACTION IN CRESTALS by Heating Heu and Stephen Wanuga. Second Quarterly Progress Report 1 August 1961 - 31 October 1961. 50 p. incl. line drawings and photographs. (Contract DA.56-039-se-87209) Unclassified Report The objective of this project is to study the generation propagation, and interaction of phonons in solids by means of microwave with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity. Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing of possible phonon interactions. Typical experimental mental procedures and setups used in experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.	deneral Electric Co., Syracuse, N.Y.  PROWON-PRONON INTERACTION IN CRCSTALS by Heating Heu and Stephen Hanuga. Second Quarterly Progress Report 1 August 1961 - 31 October 1961, 50 p. incl. line drawings and photographs. (Contract IM-36-639-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing of possible phonon interactions. Typical experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.
UNCIASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 3. Paractic on 3. Paractic interaction I. Hau, Hsiung II. Wanuga, Stephen III. Contract DA-56- 039-sc-87209	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction 3. Parametric Interaction II. Hau, Haiung II. Wanuge, Stephen III. Contract In-36- 039-sc-87209
General Electric Co., Syracuse, M.Y.  General Electric Co., Syracuse, M.Y.  PERMONE-PRONE INTERACTION IN CRYSTALS by Hauing Hause and Stephen Namuga. Second Quarterly Progress Report I August 1961 - 31 October 1961, 50 p. incl. line drawings and photographs. (Contract IM-36-059-sc-87209)  Unclassified Report  The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.	General Electric Co., Syracuse, N.Y. FEDRON-FEDRON INTERACTION IN CRESALS by Hauing Hau and Stephen Names. Second Quarterly Progress Report 1 August 1961 - 31 October 1961, 50 p. incl. line drawings and photographs. (Contract In-3c-059-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microsaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity. Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.

CHAISSYLVAN	1. Generation and propagation of hypersonic phonons 2. Phonon-Phonon Interaction 3. Parametric Interaction I. Hsu, Hsiung II. Wanuga, Stephen III. Contract IM-36-039-sc-87209	UNCLASSIFIED  1. Generation and propegation of hypersonic phonons 2. Phonon-Phonon Interaction 3. Parametric Interaction 1. Hay, Haing II. Wanuga, Stephen III. Contract DA-36- 039-sc-67209	
Q.	General Electric Co., Electronics Laboratory, Syracuse, M.Y. PHONON-PHONON INTERACTION IN CHOSMAS by Haiung Hau and Stephen Wanuga. Third Quarterly Progress Report I November 1961 - 11 January 1962. 46 pp. incl. line drawings and photographs. (Contract DM-36-039-sc-8729)  Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solida by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal allegations in scrittering processes of varves and quasi-particles actions in scattering processes of varves and quasi-particles actions in scattering processes of varves and quasi-particles actions of political phonons are described. Experimental vork on the magnetostrictive excitation of microwave phonons in various materials is presented. The results, such as the generation of phonons in silicon, are now reliably represented.	General Electric Co., Electronics Iaboratory, Syracuse, N.Y. PHONON-PHONON INTRACTION IN CRUSTALS by Helung Hau and Stephen Wanuga. Third Quarterly Progress Report I November 1961 - 31 January 1962. 48 pp. incl. line drawings and photographs. (Contract IM-36-039-sc-87209) the objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interaction in crystals. See introductory remarks on interactions in scattering processes of waves and quasi-particles is further discussed. Some introductory remarks on interactions of optical phonons are described. Experimental work on the magnetostrictive excitation of microwave phonons in various materials is presented. The results, such as the generation of phonons in silicon, are now reliably	
UNCLASSIFTED	1. Generation and propagation of hypersonic phonons 2. Phonon-Phonon. Interaction 3. Parametric interaction of interaction int	1. Generation and propagation of hypersonic phonons Phonon-Phonon Literaction	
	The state of the s	i a s in H	

UNCLASSIFIED	1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 3. Parametric Interaction II. Heu, Heiung III. Heu, Heiung III. Contract DA-36-075-079-56-075-079-66-075-079-66-075-079-66-075-079-66-075-0	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon 3. Prametric inferaction 5. Farmetric inferaction 1. Hau, Haimg 11. Wamuga, Stephen 111. Contract DA-36- 039-sc-87209
ΦV	General Electric Co. Flectponics Identify Bynguse, N.Y. and Stephen Nanuga. Fourth Progress Report for Interim Period 1 February 1962 - 31 May 1962. 57 p. incl. line drawings and photographs. (Contract DA-36-039-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwave with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  During this interim period, several phonon interaction processes have been investigated. Special attention has been made to evaluate possible methods of enhancing phonon interactions and improving the detection sensitivities of ancrowave phonons. Various new meterials and techniques have been evaluated. In this report, some smajorianchia results of the studies are presented. Furthermore, continued vork on the magnetostrictive excitation of microwave phonons is described.	General Electric Co., Electronics Laboratory, Syracuse, N.Y. PRONON-FRONON INTERACTION IN CHESTALS by Haung Herina and Stephen Vanuar. Fourth Progress Report for Interian Stephen Vanuar. Fourth Progress Report for Interian Stephen Vanuar. 1962-51 May 1962. 57 p. incl. line drawings and photographs. (Contract IM-26-039-ec-67209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of macrowaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  During this interia period, several phonon interaction processes have been investigated. Special attention has been made to evaluate possible methods of enhancing phonon interactions and improving the detection sensitivities of microwave phonons. Various new meterials and techniques have been evaluated. In this report, some samplytical and experimental results of these studies are magnetostrictive excitation of microwave phonons is presented.
UNCLASSIFIED	1. Generation and propegation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction II. Hau, Haiung III. Wanuga, Stephen III. Contract DA-36-039-sc-87209	UNCIASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon 3. Phonon-phonon 1. Herrection II. Heu, Heiung III. Wanuga, Stephen III. Contract DA-36- 039-sc-87209
AT	General Electric Co., Electronics Laboratory, Syracuse, N.Y. PRONN-PRONN INTERACTION IN CHYSTALS by Histing Hau and Stephen Manuga. Fourth Progress Report for Interim Period 1 February 1962 - 51 May 1962 - 57 p. incl. line drawings and photographs. (Contract IA-56-059-sc-67209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microseves with emphasis on the phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  During this interim period, several phonon interaction processes have been investigated. Special attention has been made to evaluate possible methods of enhancing phonon interactions and improving the detection sensitivities of microwave phonons. Various new materials and techniques have been evaluated. In this report, some analytical and experimental results of these studies are presented. Furthermore, continued work on the magnetostrictive excitation of microwave phonons is described.	AD.  General Electric Co., Electronics isboratory, Syracuse, N.Y. PHONON INTERACTION IN CHYSTALS by Haufa Haus and Stepnen Wangar. Fourth Progress Report for Interim Period I February 1962-Illay 1962. 57 p. incl. Inte- Crewings and photographs. (Contract DA-96-09-ec-8729) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by meens of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as. parametric interactions due to crystal anharmonicity.  During this interim period, several phonon interaction processes have been investigated. Special attention has been made to evaluate possible methods of enhancing phonon interactions and improving the detection sensitivities of informacy phonons. Various new materials and techniques have been evaluated. In this report, some analytical and experimental results of these studies are presented. Furthermore, continued work on the magnetostrictive excitation of microwave phonons is presented.

			-
44	UNCLASSIFIED	· ·	INCLASSIFIED
Descrit lettic Co., Electronics laboratory, Syracuse, N.Y. FRONCH-FRONCH INTERACTION IN CRNSTALS by Bsiung Heat and Compared Heaten Fifth Progress Report for Interim Period Compared 1962. 49 p. 1011. The drawings and photographs. (Contract DA-36-059-sc-67209) Unclassified Report The objective of this project is to study the Esteration, propagation and interaction of phonons with esphasis on the phonon interactions in crystals. These phonon interactions are interpreted as parametric inter- actions due to crystal anharmonicity.  A series of calculations have been made for the required crystal crientation with respect to d.c. magnetic Telia and the magnetic field strength required to achieve objective purped maser action in ruby at liquid nitrogen Cortain, phonon interaction in X-cut quartzelectron-phonon Interaction in CiloNiaAs).  Details of field enhancement techniques used in cavity structures for increasing transducer action (both plezo- diectric and magnetostrictive) are presented.	1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction I. Hay Haiung II. Wannes, Stephen III. Contract DA-36-039-sc-37209	General Electric Co., Electronics Iaboratory, Smeane, N.Y. PRONON-FRONON INTERACTION IN CHESTALS by Estimaths and Stephen Wanuga. Fifth Progress Report for immembered 1 June 1962 - 31 August 1962, 49 p. incl. The interpretation of June 1962 - 31 August 1962, 49 p. incl. The interpretation of Interpretation and Interaction of June interpretation, propagation and interactions in crystals. The explansis on the phonon interactions in crystals. The explansis on the phonon interactions in crystals. There is phonon interactions are interactions in crystals. There is not crystal anharmonicity.  A series of calculations have been made further required crystal orientation with respect to alternate of filed and the magnetic field strength required interaction in ruby at lightification temperature.  Several phonon interaction in Newt quartz—elemne-phonon interaction in Newt and Chief enhancement techniques machin cavity structures for increasing trunsducer action (bedingenoment and magnetostrictive) are presented.	1. Generation and propagation of hypersonic phonons. 2. Phonon-phonon Interaction I. Hsu, Hsiung II. Wanuga, Stephen III. Contract IA-36-039-sc-87209
ic day. Y.	1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction I. Hau, Haiung III. Hauge, Stephen III. Contract IM-36-039-ac-67209	General Electric Co., Electronics Isboratory Theresis Figure 1962 - 10 June 1962 - 51 August 1962, 49 p. incl. Isermented 1 June 1962 - 51 August 1962, 49 p. incl. Isermented 1 June 1962 - 51 August 1962, 49 p. incl. Isermented and photographs. (Contract DA-56-039-sc-87289)  The objective of this project is to study the generation, propagation and interactions of panematic phonon interactions are interpreted as parametrizations on the phonon interactions are interpreted as parametrizations ections due to crystal subarmonicity.  A series of calculations have been made forthe required crystal orientation with respect to darametric field and the magnetic field strength required immagnetic field strength required immagnetic field strength required immagnetic protectily pusped maser action in ruby at ligational immagnetic phonon interaction processes have because prominent interaction in X-out quartzbecomeginon interaction in X-out quartzbecomeginon retails of field enhancement techniques and treatments.	1. Ceneration and propegation of Myperation of Myperation of Myperation of Myperation Interaction I. Han, Hailing II. Wanuga, Stephen III. Contract IM-36. 039-sc-87209
electric and magnetostrictive) are presented.	UNCLASSIFIED	structures for increasing transducer action (methidson- electric and magnetostrictive) are presented.	UNCLASSIFIED

UNCLASSIFIED	1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 3. Parametric interaction interaction interaction interaction I. Brouillette, J. Walter II. Wanuga, Stephen	UNCLASSIFIED	UNCLASSIFIED  1. Generation and propegation of hypersonic phonons 2. Phonon-phonon interaction interaction 3. Parametric interaction 1. Brouillette 1. Walter 11. Wanuga, Stephen	UNCLABSIFIED
. AD	General Electric Co., Electronics Laboratory, Syracuse, M.Y. PHONON-PHONON INTERACTION IN CRYSTALS by J. Walter Brouillette and Stephen Wannga. Sixth Quarterly Progress Report 1 September 1962 - 70 November 1962, p incl. line drawings and photographs. (Contract DA-36-05-sc-87209)  Unclassified Report The object of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals.  Theoretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.	Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystais.  Experimental studies involving the search for phonon interactions are discussed.	General Electric Co., Electronics Laboratory, Syracuse, MY PHORNON INTERACTION IN CRYSALS by 1. Walter Browillette and Stephen Wanga. Sixth Quarterly Progress Report 1 September 1962 - 30 November 1962. p incl. line drawings and photographs. (Contract DM-25-029-sc-87209) Unclassified Report. The objective of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals. Theoretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.  Experimental results and observations are discussed pertaining to the phonon conservation and electrons.	single crystals.  Experimental studies involving the search for phonon interactions are discussed.
UNCLASSIFIED	1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 5. Parametric interaction Interaction I. Brouillette, J. Walter II. Wanuga, Stephen II. Wanuga, Stephen	UNCLASSIFIED	UNCIASSIFIED  i. Generation and propagation of hypersonic phonons  2. Phonon-phonon interaction  3. Parametric Interaction  I. Brouillette  J. Walter  II. Wanuga, Stephen	UNCLASSIFIED
ΑĐ	General Electric Co., Electronics Laboratory, Syracuse, N.Y. PRONON-PRONON INTERACTION IN CRYSTALS by J. Waiter Eroulliette and Stephen Wanuga. Sixth Quarterly Progress Report 1 September 1962 - 30 November 1962. D. incl. line drawings and photographs. (Contract DA-36-059-sc-87209) Unclassified Report The object of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals.  Theoretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.	Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystals.  Experimental studies involving the search for phonon interactions are discussed.	General Flectric Co., Electronics Laboratory, Syracuse, NY PROMON INTERACTION IN CRYSTALS by 1. Walter Emoulliette and Stephen Manuga. Sixth Quarterly Progress Report 1. September 1962 - 30 November 1962. p. incl. line drawings and photographs. (Contract LA-36-059-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals.  Theoretical curves based on the selection rules have been drawn for the various socks of operation for phonon-phonon interactions in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.  Experimental results and observations are discussed pertain-	Experimental studies involving the search for phonon inter- actions are discussed.

UNCLASSIFIED  1. Generation and Propagation of Mypersonic phonous 2. Phonon-Phonon Interaction 3. Parametric Interaction interaction II. Hau, Heiung II. Manuga, Stephen III. Contract DA-36- 039-sc-87209	UNCLASSIPIED	UNCLASSIFIED  1. Generation and propagation of hypersonic phonous  2. Phonon-Phonon interaction  5. Parasettic Interaction  1. Hsu, Hsium  11. Wanuga, Stephen  111. Contract DA-56-  059-sc-87209	क्यां इंडिंग्स्य
General Electric Gés, Eléctronics Laboratory, Syracuse, E.Y. PRONON-PRONON INTERACTION IN CRUSTALS by Estuag Heumand Stephen Hamugic. Fifth Quarterly Progress Report I May 1961-31 July 1961: Gig. incl. linet drawings and photographs. (Contract Mac)-6-059-sc-87209) The objective of Shis project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal: anharmonicity.  In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanism of various types of traveling wave parametric interactions are analyzed. The selection rules of coupled phonon modes are analyzed. The selection rules of coupled phonon modes and various experimental approaches are described. Detailed discussions on the low temperature microwave structures and experimental results on the generation and propagation of microwave phonons are presented.		General Electric Co., Electronics Laboratory, Syracuse, M.Y. PRONON-PRONON INTERACTION IN GENERALES by Bailung Hau and Stephen Namuge. First Quarterly Progress Report 1 May 1961-31 July 1961. 61 p. incl. line drawings and photographs. (Contract DA-36-039-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of alcrowaves with emphasis on the phonon-phonon interaction in reystable. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanisms of warious types of traveling wave parametric interactions and and writous experimental approaches are described. But selection value of coupled phonon modes and various experimental approaches are described. Estimatical discussions on the low imagerative microwave bituited discussions on the low imagerative microwave bituited and experimental refulctive on the generation and propegriton of microwave phoiding with parametric contraction and propegriton of microwave phoiding with parametric contraction and propegriton of microwave phoiding with parametric contraction and propegriton of microwave phoiding with the generation and propegriton of microwave phoiding with the discussions on the low images.	
UNCLASSIFIED  1. Generation and propagation of hypersonic phonons  2. Phonon-Phonon Interaction  3. Parametric Interaction  I. Hsu, Hsiung  II. Hsu, Hsiung  III. Contract DA-36-  039-sc-87209	UNCLASSIFIED	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons interaction interaction 3. Parametric interaction 1. Hau, Haiung II. Venuga, Stephen III. Contract DA-56-099-ac-67209	UNCLASSIFIED
General Electric Co., Electronics Laboratory, Syracuse, N.Y. PRESCON-PRESCON INTERACTION IN CRUSTALS by Heiung Heu and Stephen Wanuga. First quarterly Progress Report 1 May 1961-31 July 1961. 61. p. incl. line drawings and photographs. (Contract IM-56-099-es-87209)  Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanism of various types of traveling wave parametric interactions are analyzed. The selection rules of coupled phonon modes and various experimental approaches are described.  Betailed discussions on the low temperature microwave structures and experimental results on the generation and propagation of microwave phonons are presented.		General Electric Co., Electronics Iaboratory, Syracuse, M.Y. PHONON INTERACTION IN CHYSTALS BY Haine Hau and Stephen Wanuga. First Quarterly Progress Report 1 May 1961-71 July 1961. Gip. incl. line drawings and photographs. (Contract Da-56-039-sc-37209) Unclassified Report The objective of this project is to study the Report propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interaction in crystals. These phonon interactions are interaction in crystals. These phonon interactions are interaction in crystals. In this quarterly report, the concept of three dimensional parametric interactions is discussed. The mechanisms of various types of traveling wave parametric interactions are analyzed. The selection rules of coupled phonon modes and various experimental approaches are described. Detailed discussions on the low temperature microwave structures and experimental results on the generation and propagation of microwave phonons are presented.	

UNCLASSIFIED  1. Generation and propagation of hypersonic phonons  2. Phonon-phonon interaction  3. Parmetric interaction  1. Hau, Haiung II. Wanuga, Stephen III. Contract IA-36-039-sc-87209  UNCLASSIFIED	UNCIASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction Interaction II. Hau, Heiung II. Wanuga, Stephen III. Contract IM-36- 039-sc-87209
General Electric Co., Syracuse, N.Y. PHONON-PHONON INTERACTION IN CRUSTALS by Hsuing Hsu and Steephen Wange. Second Quarterly Progress Report I August 1961 - 31 October 1961, 50 p. incl. line drawings and photographs. (Contract IM-36-059-sc-87209) Unclassified Report The objective of this project is to study the generation propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity. Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing of possible phonon interactions. Typical experimental mental procedures and setups used in experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.	General Electric Co., Syracuse, N.Y.  FRONON-PHONON INTERACTION IN CRESTALS by Hauing Hau and Stephen Hanuga. Second Quarterly Progress Report.  I August 1961 - 31 October 1961. 50 p. incl. line drawings and photographs. (Contract IA-50-059-sc-87209)  Unclassified Report  The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing of possible phonon interactions. Typical experimental testing are described. Experimental results are discussed pertaining to phonon generation in various types of single crystals.
UNCLASSIFIED  1. Generation and propagation of hypersonic phonons. Interaction of Interaction of Parametric Interaction  1. Hau, Hainng II. Hanuga, Stephen III. Contract IM-36-039-sc-87209	UNCIASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 3. Parametric interaction 3. Parametric interaction I. Hsu, Hsiung II. Wanugs, Stephen III. Contract IM-36- 039-sc-87209
General Electric Co., Syracuse, N.Y.  PHONON-PRONON IMTERACITION IN CRNSTALS by Hsuing Hsu and Stephen Wannyas. Second Quarterly Progress Report 1 August 1961 - 51 October 1961. 50 p. incl. line drawings and photographs. (Contract IM-36-039-ac-87209)  The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing of possible phonon interactions. Typical experimental mental procedures and setups used in experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.	General Electric Co., Syracuse, N.Y.  PHONON-PHONON INTERACTION IN CRUSTALS by Hauing Hau and Stephen, Wanuga. Second Quarterly Progress Report  1 August 1961 - 31 October 1961. 50 p. incl. line drawings and photographs. (Contract DA-50-50-5-6-278209)  Unclassified Report  The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with members on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  Various types of crystals and crystal cuts have been evaluated. With these results, the coupled phonon modes can be calculated from the selection rules for experimental testing of possible phonon interactions. Typical experi- mental procedures and setups used in experimental testing are described. Experimental results and observations are discussed pertaining to phonon generation in various types of single crystals.

ORALISSVIOU)	1. Generation and propagation of hypersonic phonons 2. Phonon-Phonon interaction 5. Parametric Interaction I. Hav, Haing, Stephen III. Contract IA-36-039-ac-87209	UNCLASSIFIED	UNCLASSIFIED  1. Generation and hypersonic phonons 2. Phonon-Phonon interaction 3. Parametric interaction 3. Parametric interaction 1. Han, Hsiung II. Wanuga, Stephen III. Contract IA-36- 039-sc-87209
ę	General Electric Co., Electronics Isboratory, Syracuse, M.Y., PROMONE-PROMON INTERACTION IN CHUSTALS by Baiung Hou and Stephen Wange. Third Quarterly Progress Report 1 Movember 1961 - 31 January 1962. 48 pp. incl. like drawings and photographs. (Contract IM-36-039-sc-87209) Unclassified Report 17 propect is to study the generation, propagation, and interaction of phonons in solids by means of microvares with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  In this quarterly report, the concept of parametric interactions in scattering processes of waves and quasi-particles is further discussed. Some introductory remarks on interactions of optical phonons are described. Experimental work on the magnetostrictive excitation of microwave phonons in various materials is presented. The results, such as the generation of phonons in supproducible.		AD  General Electric Co., Electronics Laboratory, Syracuse, N.Y. FEROMS-PEROMS INTERMEDIATE IN CRISIMALS by Baing Hau and Stephen Wannigs. Third Quarterly Progress Report 1 Movember 1961 - 31 January 1962. AS pp. incl. line drawings and photographs. (Contract Th-50-59-ac-67729) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwres with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity. In this quarterly report, the concept of parametric inter- actions in scattering processes of waves and quasi-particles is intrher discussed. Some introductory remarks on inter- actions of optical phonons are described. Experimental work on the magnetostrictive excitation of adcrowave phonons in various materials is presented. The results, such as the generation of phonons in silicon, are now reliably
WICLASSIFTED	1. Generation and propagation of hypersonic phonons 2. Phonon-Phonon Interaction 3. Parametric Interaction Interact Id-36-039-sc-87209	UNCLASSIPTED	1. Generation and propagation of hypersonic phonons P. Phonon-Phonon Interaction 3. Parametric Interaction I. Hau, Heiung II. Manuga, Stephen III. Contract IA-36- 039-sc-67209
ΑD	General Electric Co., Electronics Laboratory, Syracuse, N.Y. PHONGNE INTERACTION IN CHYSTALS by Haiung Bau and Stephen Man.ga. Third Quarterly Progress Report I. November 19ci 51 January 1962. 48 pp. incl. line drawings and protographs. (Contract DA-36-059-sc-87209)  The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of micra-wes with emphasis on the phonon-phonon interaction, in crystals. These phonon interactions are interaction, in crystals. These phonon interactions are interpreted as parametric interactions in solitering processes of waves and quasi-particles sharmonicity.  In this quarterly report, the concept of parametric interactions in solitering processes of waves and quasi-particles actions in solitering processes of waves and quasi-particles actions of opical phonons are described. Experimental work on the magnetostrictive excitation of microwave phonons in various materials is presented. The results, such as the reproducible.		General Electric Co., Electronics Iaboratory, Syracuse, N.Y. PRONON-PRONON INTERACTION IN CHESTALS by Heilung Heu and Stephen Wanuga. Third Quarterly Progress Report 1 November 1961 - 31 January 1962. 48 pp. incl. line drawings and photographs. (Contract IA-36-039-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solidas by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  In this quarterly report, the concept of parametric interactions of optical phonons are described. Experimental work on the magnetostrictive excitation of microwave phonons in warlous materials is presented. The remults, such as the reproducible.

UNCIABITIND	1. Generation and propagation of hypersonic phonons. 2. Phonon-phonon Interaction 3. Parametric Interaction III. Hau, Heimg, Stephen III. Gontract DA-36- 039-ac-67209	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon 3. Parametric Interaction 5. Parametric Interaction 11. Hau, Estung 11. Wanuga, Stephen 111. Contract IA-56- 039-sc-87209
q	Figure 1 Electric Co. Electronics Incitably Tarium. Synguse, R.Y. and Stephen Wanuga. Fourth Progress Report for Interial Period 1 February 1962 - 71 May 1962. 77 p. incl. line drawings and photographs. (Contract Da-36-059-ec-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phomons in solids by means of acrowaves with emphasis on the phomon-phomon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal subarmonicity.  During this interia period, several phonon interaction processes have been investigated. Special attention has been ande to evaluate possible methods of enhancing phonon processes have been evaluated. Special attention has been and improving the detection sensitivities of acrowave phonons. Various new macterials and experimental results of these studies are magnetostrictive excitation of microwave phonons is described.	General Electric Co., Electronics Iaboratory, Syracuse, N.Y. PHONG-PRONON INTERMACTION IN CHITCHILE WHATHER BENEVILE BY HARING HEN GROOM STREAM STREAM COUNTY, SECOND STREAM SPECIAL BY 1962. 57 p. incl. line drawings and photographs. (Contract IA-5c-079-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of aircreaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonistic.  During this interia period, several phonon interaction phonon interactions and improving the detection sensitivities of aircreave phonons. Various new materials at the fermion of aircreave phonons, which is report, some analytical and experimental results of these studies are presented. Furthermore, continued work on the magnetostrictive excitation of aircreave phonons.
UNCLASSIFIED	1. Generation and propagation of hypersomic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction II. Hau, Haiung III. Wamuga, Stephen III. Contract IA-36-039-sc-87209	UNCIABSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 3. Parametric Interaction III. Hau, Haiung III. Wange, Stephen III. Contract IA-36-039-sc-87209
	General Electric Co., Electronics Laboratory, Syracuse, M.Y. PRONON-PRONON INTERACTION IN CRISTALS by Haing Hau and Stephen Wanuga. Fourth Progress Report for Interial Period 1 February 1962 - 51 May 1962, 57 p. incl. line drawings and photographs. (Contract IM-56-099-sc-67209) Unclassified Report. The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of alcrowaves with emphasis on the phonon-phonon interaction in crystals. These phonon interactions are interpreted as parametric interactions due to crystal anharmonicity. During this interial period, several phonon interaction made to evaluate possible methods of enhancing phonon interactions and improving the detection sensitivities of alcrowave phonons. Various new materials and techniques have been evaluated. In this report, some analysical and experimental results of these studies are presented. Furthermore, continued work on the magnetostrictive excitation of microwave phonons is described.	General Electric Co., Electronics Isboratory, Syracuse, N.Y. FRONON-PRONON INTERACTION IN CRUSTALS by Hauing Hau and Stephen Wanga. Fourth Progress Report for Interim Period I February 1962-31 Mey 1962. 57 p. incl. line drawings and photographs. (Contract IM-66-059-sc-67209)  The objective of this project is to study the generation, propagation, and interaction of phonons in solids by means of microwaves with emphasis on the phonon-phonon interaction in crystals. These phonon interaction interaction in crystals. These phonon interactions due to crystal anharmonicity.  During this interim period, several phonon interaction processes have been investigated. Special attention has been made to evaluate possible methods of enhancing phonon interactions and improving the detection sensitivities to allocate and improving the detection sensitivities of alcrowave phonons. Various new materials and techniques have been evaluated. In this report, some analytical and experimental results of these studies are presented. Furthermore, continued work on the magnetostrictive excitation of microwave phonons is presented.

<b>B</b>	THETASSTETE	41	
General Electric Co., Electronics Laboratory, Syracuse, N.Y. PHONON-PHONON INTERACTION IN CRNSDALS by Heiung Hau and Stephen Wanniga. Fifth Progress Report for Interim Period I June 1962 - 31 August 1962. 49 p. incl. line drawings and photographs. (Contract In-36-059-sc-87209)  Unclassified Report  The objective of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals. These phonon interactions are interpreted as parametric interactions on the phonon interactions have been made for the required crystal orientation with respect to d.c. ampetic field and the magnetic field strength required to achieve optically pumped maser action in ruby at liquid nitrogen temperature.  Several phonon interaction in X-cut quartz-electron-phonon interaction in Allocads).  Details of field enhancement techniques used in cavity structures for increasing transducer action (both piezo-electric and magnetorificiate) are presented.	HH 6 H	General Electric Co., Electronics Laboratory, Syracuse, M.Y. PEDRON-PRODON INTERACTION IN CHISTMAS by Haining Hau and Stephen Names. Fifth Progress Report for Interial Period 1 June 1962 - 31 August 1962. 49 p. incl. line drawings and photographs. (Contract DA-36-039-sc-87209) Unclassified Report The objective of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals. These phonon interactions are interpreted as parametric inter- actions due to crystal anharmonicity.  A series of calculations have been made for the required crystal orientation with respect to d.c. magnetic field and the magnetic field strength required to achieve optically pumped maser action in ruby at liquid nitrogen  Several phonon interaction in X-cut quartzelectron-phonon interaction in Allo GaAs).  Details of field enhancement techniques used in cavity structures for increasing transducer action (both piezo- electric and magnetostrictive) are presented.	UNCLASSIFIED  1. Generation and propagation of Apperaonic phonons of Phonon-phonon interaction in Bay Haing in Wanga, Stephen iii. Wanuga, Stephen iii. Contract IA-36-039-sc-87209  UNCLASSIFIED
General Electric Co., Electronics Laboratory, Syracuse, N.Y. PEGISCH-PHONON INTERACTION IN CRISTMILS by Baiung Hau and Stephen Namea. Fifth Progress Report for Interim Period i June 1962 - 31 August 1962, 49 p. inci. line drawings and photographs. (Contract DA-36-059-sc-87209)  Unclassified Report  The objective of this project is to study the generation, propagation and interaction of phomons with emphasis on the phomon interactions in crystals. These phomon interactions are interpreted as parametric interactions due to crystal enhanmonicity.  A series of calculations have been made for the required crystal orientation with respect to d.c. magnetic field and the magnetic field strength required to achieve optically pumped maser action in ruby at liquid mitrogen temperature.  Several phonon interaction in X-cut quartzelectron-phonon interaction in 410> GaAs).  Details of field enhancement techniques used in cavity structures for increasing transducer action (both piezo-electric and amagnetostrictive) are presented.	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction I. Hau, Hsiung II. Wanuga, Stephen III. Contract DA-36- 039-ac-87209	General Electric Co., Electronics Laboratory, Syracuse N.Y. FEGNON-PRONE INTERACTION IN CRISHALS by Hailing Hau and Stephen Names. Fifth Progress Report for Interim Period 1 June 1962 - 31 August 1962. 49 p. incl. line drawings and photographs. (Contract NA-56-059-sc-87209)  Unclassified Report  The objective of this project is to study the generation, propagation and interaction of phonons with phonon interactions are interpreted as parametric interphonon interactions are interpreted as parametric interactions due to crystal anharmonicity.  A series of calculations have been made for the required crystal orientation with respect to d.c. magnetic field and the amgnetic field strength required to achieve temperature.  Several phonon interaction in ruby at liquid nitrogen Several phonon interaction in X-cut quartzelectron-phonon electric and manneranticities a action interaction in X-cut quartzelectron-phonon electric and manneranticities a action in the second context action (both piezo-electric and manneranticities)	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons. Phonon-phonon Interaction I. Hau, Estung II. Wanuga, Stephen III. Contract DA-36- 039-sc-87209
		correct and measurements are presented.	UNICLASSIFIED

UNCLASSIFIED	1. Generation and propagation of hypersonic phonons 2. Phonon-phonon interaction 3. Parametric interaction I. Brouillette, J. Welter II. Wenuga, Stephen II. Wanuga, Stephen	UNCLASSIFIED	UNCLASSIFIED  1. Generation and propegation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction Interaction	I. Broullette J. Walter II. Wanuga, Stephen UNCLASSIFIED
ą	General Electric Co., Electronics Laboratory, Syracuse, M.Y. PHONOR-PRONON INTERACTION IN CRYSTMLS by J. Walter Brouillette and Stephen Wanuga. Sixth Quarterly Progress Report I September 1962 - 30 November 1962, p incl. line drawings and photographs. (Contract DA-36-09-sc-87209)  The object of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon interactions in crystals.  Theoretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.	Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystals.  Experimental studies involving the search for phonon interactions are discussed.	ре	Theoretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.  Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystals.  Experimental studies involving the search for phonon interactions are discussed.
OMCLASSIFTED	1. Generation and propagation of Mygeration of Mygeration of Phonon-phonon Interaction 3. Parametric Interaction Interaction I. Brouillette, J. Walter II. Wanuga, Stephen II. Wanuga, Stephen	UNCIASSIFIED	UNCLASSIFIED  1. Generation and propagation of hypersonic phonons 2. Phonon-phonon Interaction 3. Parametric Interaction	1. Brouillette J. Walter II. Wanuga, Stephen UNCIASSIFIED
ą	General Electric Co., Electronics Laboratory, Syracuse, M.Y. 1. PHONON-PHOHON INTERACTION IN CRISTALS by J. Waiter invallatte and Stephen Wanuga. Sixth Quarterly Progress Report 1 September 1962 - 70 November 1962 p. incl. line drawings and photographs. (Contract DA-56-099-ec-67209) Unclassified Report. The object of this project is to study the generation, propagation and interaction of phonons with emphasis on the phonon: interactions in crystals.  Theoretical curves based on the selection rules have been drawn for the various andse of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.	Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystals.  Experimental studies involving the search for phonon interactions are discussed.	<b>3</b> 8	The pretical curves based on the selection rules have been drawn for the various modes of operation for phonon-phonon interaction in solids. These are then analyzed with regard to the various types of parametric interactions that are possible.  Experimental results and observations are discussed pertaining to phonon generation and attenuation in various types of single crystals.  Experimental studies involving the search for phonon interactions are discussed.

## 10. DISTRIBUTION LIST

	No. of Copies
OASD (R and E), Mr 3E1065 The Pentagon Washington 25, DC	
Attn: Technical Library	1
Commanding General U. S. Army Electronics Command Attn: AMSEL - CG	
Fort Monmouth, New Jersey	ı
Director, U. S. Naval Research Laboratory Attn: Code 2027	_
Washington 25, D.C.	1
Commanding Officer and Director U. S. Navy Electronics Laboratory	
San Diego 52, California	1
Commander Air Force Command and Control Development Divi Attn: CRZC	sion
Air Research and Development Command, USAF L.G. Hanscom Field	
Bedford, Massachusetts	1
Commander Rome Air Development Center	
Attn: RAALD Griffiss Air Force Base, New York	1
Commanding Officer Diamond Ordnance Fuze Laboratories	
Washington 25, D.C. Attn: Library, Rm. 211, Bldg. 92	1
Commanding Officer 9560 TSU, U. S. Army Electronics Research Unit P.O. Box 205	
Mountain View, California	1
Deputy President U. S. Army Security Agency Board	
Arlington Hall Station Arlington 12, Virginia	1

	No.	of	Copies
Commanding Officer U.S. Army Electronics Material Support Agency Attn: SELMS-ADJ			
Fort Monmouth, New Jersey			1
Corps of Engineers Liaison Office U. S. Army Electronics Research and Developmen Laboratory	nt		
Fort Monmouth, New Jersey			1
Marine Corps Liaison Office U.S. Army Electronics Research and Developmen	t		
Laboratory			
Fort Monmouth, New Jersey			1
Commanding Officer Frankford Arsenal Attn: ORDBA-FEL			
Philadelphia 37, Pennsylvania			1
J,, 2			_
Chief of Ordnance			
Attn: ORDTX-AR			_
Washington 25, D.C.			1
Chief, Bureau of Ships Code 691A			
Department of the Navy			
Washington 25, D.C.			1
Commander, Army Rocket and Guided Missile Age Redstone Arsenal, Alabama	ncy		
Attn: Technical Library			1
Director National Security Agency			
Fort George G. Meade, Maryland Attn: CREF - 141 (Room 20087), Miss Creswell			ı
Commander Armed Services Technical Information Agency			
Arlington Hall Station			
Arlington 12, Virginia		1	ro
Commander			
Commander Wright Air Development Division			
Attn: WCOSI-3			
Wright-Patterson Air Force Base, Ohio			2
Chief, U.S. Army Security Agency			
Arlington Hall Station			
Arlington 12. Virginia			2

	No. of Copies
Advisory Group on Electron Tubes 346 Broadway New York 13, New York	2
Dr. B. Gossick Arizona State University Tempe, Arizona	1
Dr. B. Salzberg Airborne Inst. Laboratory 100 Walt Shitman Road Melville, L. I., N. Y.	1
MIT Research Laboratory of Electronics Cambridge 39, Massachusetts Attn: Librarian	1
Lincoln Laboratory MIT P. 0. Box 73 Lexington, Massachusetts Attn: R. Kingston	1
Dr. H. Uhlir Microwave Associates, Inc. Burlington, Massachusetts	1
RCA Laboratories Princeton, New Jersey Attn: H. Johnson	ı
Dr. E. Conwell General Telephone Research Labs Bayside 60, New York	1
Bell Telephone Laboratories Murry Hill, New Jersey Attn: Dr. R. Ryder Attn: A. R. Hutson	1
Solid State Electronic Laboratory Stamford Electronics Laboratories Stamford University Stamford, California	1
Polytechnic Institute of Brooklyn Microwave Research Institute 55 Johnson Street Brooklyn 1, New York	1

	No. of Copies
Stamford Research Institute Palo Alto, California Attn: Dr. T. Jones	1
Dr. A. Burke Micromega Corp. 4134 Del Ray Ave. Venice, California	1
Purdue University Physics Laboratory Lafayette, Indiana Attn: Dr. H. Y. Fan	1
Shockley Transistor Corp. 391 South San Antiono Mountain View, California Attn: Dr. W. Shockley	1
Dr. M. Chodorow Microwave Laboratory WW Hansen Laboratories of Physics Stamford University Stamford, California	1
Director, Electronics Defense Corps Engineering Research Institute University of Michigan Ann Arbor, Michigan	1
Cruft Laboratory Harvard University Cambridge, Massachusetts	ı
Mr. Alvin D. Bedrosian USAERDL Liaison Officer SCLO/MIT-26-131 Cambridge 39, Massachusetts	2
Dr. Om P. Gandhi Philco Scientific Laboratory Blue Bell, Pennsylvania	1
Dr. Carl H. Becker, Director of Research Precision Inst. Co. 1011 Commercial Street San Carlos, California	1

## Commanding Officer U.S. Army Electronics Research and Development Laboratory Fort Monmouth, New Jersey 1 Attn: Director of Research Attn: Technical Documents Center 1 Attn: Technical Information Division 3 Attn: Rpts Dist. Unit, Solid State and Frequency Control Div. (Record Copy) 1 Attn: Director, Solid State and Frequency 1 Control Division Attn: Ch. S and M Br., Solid State and Frequency 1 Control Division Attn: Deputy Director, Solid State and Frequency Control Division Attn: W.G. Matthei, Solid State and Frequency 4 Control Division Attn: F. A. Brand, Solid State and Frequency 1 Control Division Attn: H. Mette, Solid State and Frequency Control Division 1 Attn: Dr. E. Hafner, Solid State and Frequency Control Division 1 Richard Clayton Texas Instruments P. O. Box 6015 1 Dallas, Texas Dr. Rowen Solid State Device Development Lab. Bell Telephone Labs. 1 Whippany, New Jersey Texas Instruments Apparatus Div. Attn: Dr. D. Eden P.O. Box 6015 1 Dallas 22, Texas C.O. **USAEMA** Attn: SELMA-R2b 225 S. 18th Street 1 Philadelphia 3, Pennsylvania Total number of copies to be distributed 75

No. of Copies

This contract is supervised by the Solid State and Frequency Control Division, Electronic Components Department, USAELRDL, Ft. Monmouth, N. J. For additional technical information contact Mr. W. G. Matthei, Project Engineer, Telephone 53-51370.